

| Ref # | Hits | Search Query  | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|---|---|------------------|---------|------------------|
| L4    | 44   | ((request with (routing adj table)) same (host or client)) and "370"/\$.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR                            | OR               | ON      | 2005/01/05 14:57 |
| L5    | 30   | ((request with (routing adj table)) same (client)) and "370"/\$.ccls.   | US-PGPUB;<br>USPAT;<br>USOCR                            | OR               | ON      | 2005/01/05 14:52 |
| L6    | 17   | (request same (routing adj table) same updat\$6 same bandwidth)   | US-PGPUB;<br>USPAT;<br>USOCR                            | OR               | ON      | 2005/01/05 15:01 |
| L7    | 18   | (request with (routing adj table) same bandwidth)   | US-PGPUB;<br>USPAT;<br>USOCR                            | OR               | ON      | 2005/01/05 15:01 |
| S1    | 2    | "08147231"  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2004/03/30 07:22 |
| S2    | 137  | (broadcast same respon\$6) and (node with (search\$5 or discovery or find\$6 or locat\$6 or identif\$6)) and 370/254,255,392,401.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2003/10/09 11:44 |
| S3    | 11   | (broadcast same respon\$6) and (node with (search\$5 or discovery or find\$6 or locat\$6 or identif\$6)) and RIP and 370/254,255,392,401.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2003/05/27 13:47 |
| S4    | 152  | RIP and 370/254,255,392,401.ccls.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2003/06/04 14:16 |
| S5    | 94   | ((((broadcast\$6 or multicast\$5 or flood\$6) with (node or device or address) with (search\$5 or discover\$6 or find\$6 or locat\$6 or identif\$6)) with (bridge or subnetwork\$5 or domain or subsystem\$5 or router)) and "370"/\$.ccls. | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2004/03/30 07:24 |
| S6    | 34   | (subnetwork\$5 or subnet or segment or (sub adj network\$5)) and (discovery same broadcast same (gateway or router or bridge or brouter))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2003/06/03 11:57 |

|     |     |  |   |    |    |                  |
|-----|-----|--|---|----|----|------------------|
| S7  | 193 | (subnetwork\$5 or subnet or (sub adj network\$5)) and (discovery or search\$6) and broadcast and 370/254,255,256,257,258,392,401,402,403,404,405.ccls. | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/06/03 15:01 |
| S8  | 175 | ((node with (search\$5 or discovery or find\$6 or locat\$6 or identif\$6)) same broadcast) and (subnetwork\$5 or subnet or (sub adj network\$5))       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/05 10:06 |
| S9  | 83  | "4914571".URPN.  | USPAT   | OR | ON | 2003/06/03 15:13 |
| S10 | 2   | "4677588".pn.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/08/05 14:45 |
| S11 | 32  | "5224205".URPN.  | USPAT   | OR | ON | 2003/06/04 10:28 |
| S12 | 104 | RIP same broadcast same rout\$6  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/06/04 14:16 |
| S13 | 282 | SNMP and 370/254,255,392,401.ccls.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/06/04 14:17 |
| S14 | 126 | (SNMP same rout\$6) and 370/254,255,392,401.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/06/04 14:17 |
| S15 | 20  | ((hop adj count) same broadcast) and 370/254,255,392,401.ccls.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2003/10/09 11:45 |
| S16 | 384 | ((broadcast\$6) with (search\$5 with discover\$6 or find\$6 or locat\$6 or identif\$6)) and domain and (routing) and "370"/\$.ccls.                    | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/07/29 08:34 |
| S17 | 5   | ((((broadcast\$6) with (search\$5 with discover\$6 or find\$6 or locat\$6 or identif\$6)) same domain same routing) and "370"/\$.ccls.                 | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/03/30 07:40 |

|     |     |  |   |    |    |                  |
|-----|-----|--|---|----|----|------------------|
| S18 | 2   | "4827411".pn.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/03/30 07:49 |
| S19 | 150 | (routing with update with request) and "370"/\$.cccls.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/05 10:07 |
| S20 | 73  | (broadcast\$6 with search\$5) and (router) and "370"/\$.cccls.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/07/29 08:59 |
| S21 | 74  | "5426637".URPN.  | USPAT   | OR | ON | 2004/07/29 08:39 |
| S22 | 11  | "543599"   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/07/29 08:52 |
| S23 | 95  | ((((node or resource) with (search\$5 or discovery or find\$6 or locat\$6 or identif\$6)) same broadcast).ab. and (subnetwork\$5 or subnet or (sub adj network\$5) or domain or network) and (rout\$7) and ("370"/\$.cccls. or "709"/\$.cccls.)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/07/29 09:03 |
| S24 | 51  | "5511208".URPN.  | USPAT   | OR | ON | 2004/07/29 09:07 |
| S25 | 199 | (hardware same software same flexible) and "370"/\$.cccls.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/07/29 12:02 |
| S26 | 109 | RIP same (router with address) same (network with (address or number))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2004/07/29 12:03 |
| S27 | 121 | ((((search\$5 or discovery or find\$6 or locat\$6 or identif\$6) with broadcast) same client) and (subnetwork\$5 or subnet or (sub adj network\$5))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/05 10:36 |
| S30 | 212 | ((search\$5 or discovery or locat\$6) same broadcast same client) and (subnetwork\$5 or subnet or (sub adj network\$5))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/05 11:02 |

|     |    |   |   |    |    |                  |
|-----|----|---|---|----|----|------------------|
| S31 | 70 | ((direct\$6 with broadcast) same client) and (subnetwork\$5 or subnet or (sub adj network\$5))                              | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2005/01/05 11:03 |
| S32 | 18 | ("5687320").URPN.   | USPAT   | OR | ON | 2005/01/05 11:11 |
| S33 | 9  | ("5687320"   "5862404"  <br>"5901286"   "5928335"  <br>"5968138"   "6067558"  <br>"6085246"   "6101528"  <br>"6101555").PN. | US-PGPUB;<br>USPAT;<br>USOCR                            | OR | ON | 2005/01/05 12:21 |
| S34 | 12 | (client same (routing adj table) same router) and ((routing adj table) same updat\$6) and RIP                               | US-PGPUB;<br>USPAT;<br>USOCR                            | OR | ON | 2005/01/05 12:33 |
| S35 | 67 | (client same (routing adj table)) and RIP   | US-PGPUB;<br>USPAT;<br>USOCR                            | OR | ON | 2005/01/05 14:31 |